

CS 2316 Exam 2 Practice

Name (print clearly): _____

Signature: _____

GT account username (gtg, gth, msmith3, etc): _____

- Signing signifies you are aware of and in accordance with the **Academic Honor Code of Georgia Tech**.
- Calculators and cell phones are NOT allowed.
- This is a Python programming test. Where asked for Python statements or expressions you must print them exactly as they would be typed in a Python source file or interactive shell.

Question	Points per Page	Points Lost	Points Earned	Graded By
Page 1	6	-	=	
Page 2	10	-	=	
Page 3	20	-	=	
Page 4	20	-	=	
Page 5	10	-	=	
Page 6	10	-	=	
Page 7	10	-	=	
TOTAL	86	-	=	

1. True or False

In each of the blanks below, write “T” if the statement beside the blank is true, “F” otherwise.

- [1] (a) ___ Comma-separated values files have a tree structure, meaning they have elements that are nested to arbitrary depths.
- [1] (b) ___ CSV files are binary files whose contents can only be viewed with proprietary software.
- [1] (c) ___ Files in Python are buffered, meaning that they are not guaranteed to be completely written to disk until they are successfully closed.
- [1] (d) ___ XML documents are not human-readable.
- [1] (e) ___ XML documents can be edited with any text editor.
- [1] (f) ___ The fundamental data abstraction in relational databases is the table.

2. **Multiple Choice** Circle the letter of the correct choice.

[2] (a) Given the following CSV file contents:

```
'a'; 'b'; 'c'  
'd'; 'e'; 'f'  
'g'; 'e'; 'h'
```

What is the field delimiter?

- A. ','
- B. ';'
- C. '"'
- D. '''

[2] (b) What is the quote character?

- A. ','
- B. ';'
- C. '"'
- D. '''

[2] (c) If you read the CSV file above with a `csv.DictReader` like this:

```
quote = ... # from question above  
delim = ... # from question above  
reader = csv.DictReader(csvfile, delimiter=delim, quotechar=quote)
```

what would it return for the first record?

- A. ['a', 'b', 'c']
- B. ('a', 'b', 'c')
- C. {'a': 'd', 'b': 'e', 'c': 'f'}
- D. {None: 'a', None: 'b', None: 'c'}

[2] (d) Which of the following is **not** well-formed XML?

- A. <a> c
- B. <a> <c/>
- C. <a> <c>
- D. <a> <c> d </c>

[2] (e) A musician can be a member of many bands and a band can have many musicians. What kind of cardinality relationship exists between musicians and bands?

- A. one to one
- B. one to many
- C. many to many

3. Short Answer

- [5] (a) Say you have a python program that was run from the command line with `python my_program one two three`. Within your program, how do you get the first command line argument *to your program* (not to the Python interpreter)?
- [5] (b) Say you have a python program that was run from the command line. Write a snippet of Python code that checks whether any command line arguments were supplied to the Python program.
- [5] (c) Write a Python statement that opens a file for reading as text. The file name is supplied by the first command line argument.
- [5] (d) Write a Python statement that opens a file for writing as text. The file name is the first command line argument with the text ".out" appended.

4. Short Answer

Given the following table schema for a dive log:

```
create table dive (  
    timedate datetime, -- the day and start time of the dive  
    duration int, -- duration of the dive from descent to ascent  
    location char(32), -- the location and dive site name  
    buddy char(32), -- dive buddy  
);
```

- [5] (a) Which field, or fields, would make the best primary key? Why?

Given the following schema:

```
create table dog (  
    dogid int primary key,  
    name char(32) not null check(name != ''),  
    sex char not null check(sex = 'M' or sex = 'F'),  
    ownerid references owner(ownerid)  
);  
  
create table owner (  
    ownerid integer primary key autoincrement,  
    name char(32) not null check(name != '')  
);
```

- [5] (b) Write a **select** statement that will return all the male dogs.

- [5] (c) Write a **select** statement that will return all the dogs owned by 'Tom'.

- [5] (d) Write a **select** statement that will return all the dogs whose names start with 'Butter'.

- [10] 5. Write Python code that reads a CSV file that uses commas for delimiters, no quote characters and has no header row and stores the data as a list of lists. For example, for a file like:

```
a,b,c  
d,e,f
```

your code should create a list of lists like:

```
[['a', 'b', 'c'], ['d', 'e', 'f']]
```

Use whatever Python programming techniques you wish.

- [10] 6. Write a function called `last_name` that takes an `ElementTree` element parameter and returns the text of the `lastName` sub-element of the parameter. Assume that `xml.etree.ElementTree` has been imported as `et`.

- [10] 7. Write the create statements for a database of employees and departments. For employees store name, hire date, salary, and department. For department store the name, description, and the department head, who is an employee. Add any fields you need for keys and be sure to include foreign keys as necessary.